

## ACKNOWLEDGMENTS

The project involved many people besides the authors of this report. Particular thanks go to Geoff Carter for his help in describing soil profiles and for guidance and advice during the course of the field work, to Jon Holmes for his contribution as navigator and draftsman which was of the highest order and to Les and Helen Merritt for their work in running camps.

Alan Payne and Peter Curry provided training, advice, and considerable assistance with fieldwork. Peter Hennig provided logistical support in Perth and technical support in the field, often at short notice. Their tremendous contributions are recognised.

Staff of the Department of Agriculture Western Australia, particularly at the Kalgoorlie district office and at the Document Support Centre in South Perth provided support. Dr Ian Foster conducted analyses and provided critical comment for the 'Climate' chapter.

Work undertaken in map production by the Topographic Services and Cartographic Sections of the Department of Land Administration are appreciated.

Staff at the Western Australian Herbarium (CALM) provided an excellent plant identification service which enhanced the scientific quality of this project. Ray Cranfield's contribution in the field and back at the Herbarium is particularly appreciated, Paul Wilson and Bruce Maslin were also extremely supportive.

Many people provided constructive criticism as chapters of this report developed. Their contributions have enhanced the quality of this report, they are: Greg Beeston, David Blood, Andy Chapman, Max Churchward, Dr Shane Cridland, Peter Curry, David Fitzgerald, Dr Ron Hacker, Dr Karl-Heinz Wyrwol, Alec Holm, Dr Ray Isbell, Greg Keighery, Dr Bill Loneragan, Dr Norm McKenzie, John Morrissey, Roderick O'Connor, Prof. Cliff Ollier, Alan Payne, Brian Purdie, Dr Gottfried Scholz, David Wilcox and Adrian Williams.

The pastoralists and their Land Conservation District committees (Kalgoorlie and North Eastern Goldfields) became part of the survey project. Their interest, enthusiasm and advice were more than appreciated, they were essential components of the project.

The following pastoralists and their managers kindly donated the use of outcamps or shearers quarters for our fieldwork; the Cocks at Riverina and Perrinvale, the Finlaysons at Jeedamya, the Hursts at Sturt Meadows, Ross Lightfoot and the Duncans at Pinnacles, Western Mining Corporation and the Biggs at Yeelirrie, the Boladeros families at Yandal, Barwidgee and Bandy, Jim McLaughlin at Laverton Downs, the Thomas's at Minara, the Polmeares at Mt Weld, the Steins at Glenorn, the McKays at Edjudina and the Tonkins and Watkins at Menangina. Without this support the project would not have been possible.

# Appendices

## 1. Plant species lists

- (i) Perennial plant species recorded in the survey area (compiled by A.M.E. Van Vreeswyk<sup>1</sup> and R.J. Cranfield<sup>2</sup>)
- (ii) Common perennial plants in the survey area (compiled by A.M.E. Van Vreeswyk<sup>1</sup>)
- (iii) Annual species collected during the survey or known to occur in the survey area (compiled by A.M.E. Van Vreeswyk<sup>1</sup> and R.J. Cranfield<sup>2</sup>)
- (iv) Lichens and mosses collected in the survey area (compiled by R.J. Cranfield<sup>2</sup>)

## 2. Land system maps (1:250,000 scale)

(S.A. Gilligan<sup>3</sup>, J.W. Holmes<sup>3</sup>, H.J.R. Pringle<sup>1</sup> and A.M.E. Van Vreeswyk<sup>1</sup>)

<sup>1</sup> Natural Resources Assessment Group, Department of Agriculture, Western Australia

<sup>2</sup> Western Australian Herbarium, Department of Conservation and Land Management, Western Australia

<sup>3</sup> Geodetic Services Branch, Department of Land Administration, Western Australia

**Appendix 1 (i). Perennial plant species recorded in the survey area\***

Family	Botanical name	Collection No.	1 Distribution	2 Growth form	3			3 Site type group			4		Total sites	
					1	2	3	4	5	6	7	8a		8b
<b>Adiantaceae</b>														
	<i>Cheilanthes austrotenuifolia</i>	6774	W	LS	-	-	-	-	-	p	p	-	-	16
	<i>Cheilanthes lasiophylla</i>	6775	W	LS	-	-	-	-	p	p	-	-	-	3
<b>Aizoaceae</b>														
	<i>Carpobrotus modestus</i>	2414	W	LS	-	-	-	p	-	-	-	-	-	3
	<i>Disphyma crassifolium</i>	2009	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Gunnioopsis quadrifida</i>	2152	W	LS	p	-	-	C	p	-	-	-	-	30
	<i>Trianthema triquetra</i>	6817	W	LS	-	-	-	-	-	-	-	-	-	
<b>Amaranthaceae</b>														
	<i>Hemichroa diandra</i>	2011	W	LS	-	-	-	p	-	-	-	-	-	3
	<i>Ptilotus aervoides</i>	7361	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Ptilotus divaricatus</i>	2194	W	S	-	-	-	p	p	-	p	-	-	5
	<i>Ptilotus helichrysoides</i>	2099	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Ptilotus holosericeus</i>	7297	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Ptilotus obovatus</i>	2050	W	LS	C	C	C	C	C	C	C	C	C	371
	<i>Ptilotus roei</i>		W	LS	-	-	p	-	p	C	p	-	-	15
	<i>Ptilotus rotundifolius</i>		W	S	-	-	-	-	-	p	-	-	-	2
	<i>Ptilotus schwartzii</i>		W	LS	-	p	-	-	p	C	C	-	-	69
<b>Anthericaceae</b>														
	<i>Corynotheca</i> sp.	2722	R	LS	p	-	-	-	p	p	-	-	-	3
	<i>Laxmannia arida</i>	2680	R	LS	p	-	-	-	-	-	-	-	-	1
	<i>Thysanotus manglesianus</i>	7185	W	C	-	-	-	-	-	-	p	-	-	1
	<i>Thysanotus speckii</i>		W	LS	-	-	-	-	-	-	-	-	-	
<b>Apiaceae</b>														
	<i>Platysace effusa</i>	2854	W	LS	-	-	-	-	-	-	-	-	-	
<b>Apocynaceae</b>														
	<i>Alyxia buxifolia</i>	7082	W	S	p	-	p	p	-	p	-	-	-	5
<b>Asclepiadaceae</b>														
	<i>Cynanchum floribundum</i>		W	S/C	-	-	-	-	-	p	-	-	-	1
	<i>Leichardtia australis</i>		W	C	-	p	p	p	p	p	C	p	p	45
	<i>Rhyncharhena linearis</i>	6911	W	C	-	p	-	-	-	p	p	-	-	4
<b>Asteraceae</b>														
	<i>Asteridea athrixioides</i>	7159	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Asteridea chaetopoda</i>	7338	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Cratystylis conocephala</i>	6854	R	S	-	-	-	-	-	-	-	-	-	
	<i>Cratystylis subspinescens</i>		W	S	-	-	-	C	C	p	p	-	-	97
	<i>Erodiophyllum acanthocephalum</i>	2136	R	LS	-	-	-	-	-	-	-	-	-	
	<i>Helichrysum ambiguum</i>	7331	W	LS	-	-	-	-	-	p	-	-	-	1
	<i>Helichrysum cassiope</i>	2201	W	LS	-	-	-	-	p	-	-	-	-	1
	<i>Helipterum adpressum</i>	2072	W	LS	p	p	p	-	p	p	p	-	-	28
	<i>Helipterum pterochaetum</i>	2137	W	LS	-	-	-	-	-	p	-	-	-	1
	<i>Ixiolaena leptolepis</i>	2569	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Minuria cunninghamii</i>	2133	W	LS	-	-	-	p	-	-	-	-	-	2
	<i>Minuria leptophylla</i>	7403	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Olearia decurrens</i>	6912	W	LS	p	-	-	-	-	-	-	-	-	1
	<i>Olearia exiguifolia</i>	2845	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Olearia lanuginosa</i>	7038	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Olearia muelleri</i>	2334	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Olearia pimeleoides</i>	2002	W	LS	p	p	p	p	-	-	p	-	-	13
	<i>Olearia pimeleoides</i> var. <i>incana</i>	2421	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Olearia stuartii</i>	6773	W	LS	-	p	p	-	-	p	-	-	-	7
	<i>Olearia subspicata</i>	7452	W	S	p	-	-	-	-	-	-	-	-	1
	<i>Pluchea squarrosa</i>	2247	W	LS	-	-	-	-	-	-	-	p	-	2
<b>Boraginaceae</b>														
	<i>Halgania cyanea</i>	6751	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Halgania solanacea</i>		W	S	-	-	-	-	-	-	-	-	-	
	<i>Halgania</i> sp.	7029	?	LS	-	-	-	-	-	-	-	-	-	
	<i>Halgania viscosa</i>	2211	W	LS	p	-	p	-	-	-	-	-	-	4
	<i>Heliotropium heteranthum</i>	6909	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Trichodesma zeylanicum</i>	2620	W	S	-	-	-	-	-	-	-	-	-	

\* A key to the codes in these columns is provided at the end of this table.

Family	Botanical name	Collection No.	1 Distribution	2 Growth form	3 Site type group								4 Total sites	
					1	2	3	4	5	6	7	8a		8b
<b>Brassicaceae</b>														
	<i>Lepidium phlebopetalum</i>	7388	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Lepidium platypetalum</i>	2593	W	LS	-	-	-	-	p	p	-	-	-	3
<b>Caesalpinaceae<sup>1</sup></b>														
	<i>Cassia artemisioides</i>	6969	W	S	p	p	p	p	p	p	p	p	-	44
	<i>Cassia aff. artemisioides</i>	2055	W	S	-	p	-	-	p	p	p	p	-	5
	<i>Cassia charlesiana</i>		W	S	-	p	p	p	p	p	p	-	-	12
	<i>Cassia chatelainiana</i>	2028	W	S	p	p	-	p	p	p	p	p	-	33
	<i>Cassia desolata</i>		W	S	-	p	p	p	p	p	-	-	-	6
	<i>Cassia helmsii</i>		W	S	-	p	-	-	p	p	p	-	-	16
	<i>Cassia nemophila</i>	2456	W	S	C	C	C	p	C	p	C	-	p	127
	<i>Cassia nemophila var. coriacea</i>	2278	W	S	-	-	-	-	-	-	-	-	-	
	<i>Cassia phyllodinea</i>		W	LS	-	-	-	p	p	p	p	-	-	13
	<i>Cassia pleurocarpa</i>	2166	W	S	-	-	-	-	p	-	-	-	-	1
	<i>Cassia sturtii</i>	2138	W	S	-	p	p	p	p	C	p	-	-	41
	<i>Petalostylis cassioides</i>	2500	W	LS	p	-	-	-	-	-	-	-	-	1
<b>Casuarinaceae</b>														
	<i>Allocasuarina acutivalvis</i>	2180	W	TS	-	-	-	-	-	p	p	-	-	2
	<i>Allocasuarina campestris</i>	2214	W	S	-	p	-	-	-	-	-	-	-	1
	<i>Allocasuarina corniculata</i>	7597	W	S	p	-	-	-	-	-	-	-	-	1
	<i>Allocasuarina helmsii</i>	7122	W	TS	p	-	-	-	-	-	-	-	-	2
	<i>Casuarina cristata</i>	2174	W	T	-	p	C	p	C	p	p	-	p	53
	<i>Casuarina obesa</i>	7064	W	T	-	-	-	-	-	-	-	-	-	
<b>Celastraceae</b>														
	<i>Apatophyllum macgillivrayi</i>	2751	P	LS	-	-	-	-	-	-	-	-	-	
<b>Chenopodiaceae</b>														
	<i>Atriplex acutibractea</i>	2019	W	LS	-	-	p	p	p	-	-	-	-	4
	<i>Atriplex amnicola</i>	2302	W	S	-	p	-	p	-	-	-	-	-	3
	<i>Atriplex bunburyana</i>		W	S	p	p	p	C	C	p	p	-	-	77
	<i>Atriplex cephalantha</i>	2804	R	LS	-	-	-	-	-	-	-	-	-	
	<i>Atriplex nana</i>	7027	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Atriplex nummularia</i>	7041	W	S	-	-	-	p	-	-	-	-	-	1
	<i>Atriplex quadrivalvata</i>	7366	?	S	-	-	-	-	-	-	-	-	-	
	<i>Atriplex quinii</i>	2106	W	LS	-	-	-	p	p	-	-	-	-	6
	<i>Atriplex vesicaria</i>	2069	W	LS	p	-	p	C	p	p	-	-	-	70
	<i>Chenopodium curvispicatum</i>	7005	W	LS	-	p	p	p	p	-	-	-	-	10
	<i>Chenopodium desertorum</i>	2108	W	LS	-	-	p	p	p	-	-	-	-	4
	<i>Chenopodium gaudichaudianum</i>	2038	W	LS	-	-	p	p	p	-	-	-	-	9
	<i>Chenopodium melanocarpum</i>	7200	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Didymanthus roei</i>	2092	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Einadia nutans</i>	2369	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Enchylaena lanata</i>	7106	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Enchylaena tomentosa</i>		W	LS	p	p	C	p	C	p	C	p	p	104
	<i>Enchylaena tomentosa x Maireana georgei</i>	2292	W	LS	-	-	p	p	-	p	p	-	-	4
	<i>Eremophea spinosa</i>	6858	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Halosarcia doleiformis</i>	2562	W	LS	-	p	-	-	-	-	-	-	-	2
	<i>Halosarcia fimbriata</i>	2779	R	LS	-	-	-	-	-	-	-	-	-	
	<i>Halosarcia halocnemoides</i>	6809	W	LS	-	-	-	p	p	-	-	-	-	8
	<i>Halosarcia indica ssp. bidens</i>	2199	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Halosarcia lylei</i>	7446	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Halosarcia peltata</i>	7010	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Halosarcia pergranulata</i>		W	LS	-	-	-	-	-	-	-	-	-	
	<i>Halosarcia pterygosperma</i>		W	LS	-	-	-	-	-	-	-	-	-	
	<i>Halosarcia sp.</i>	7547	?	LS	-	-	-	-	-	-	-	-	-	
	<i>Halosarcia undulata</i>	6808	W	LS	-	-	-	p	-	-	-	-	-	2
	<i>Maireana amoena</i>	2035	W	LS	-	-	-	C	-	-	-	-	-	19
	<i>Maireana appressa</i>	7342	W	LS	-	-	-	p	p	-	-	-	-	2
	<i>Maireana atkinsiana</i>	2068	W	LS	-	-	-	C	-	-	-	-	-	22
	<i>Maireana convexa</i>	7304	W	S	-	C	-	p	p	C	C	-	-	60
	<i>Maireana eriosphaera</i>	7011	W	LS	-	-	-	p	-	-	-	-	-	3
	<i>Maireana georgei</i>	2018	W	LS	p	p	C	C	C	C	C	-	-	209
	<i>Maireana glomerifolia</i>	7097	W	LS	-	-	-	C	C	p	-	-	-	72
	<i>Maireana integra</i>	2529	W	LS	-	-	-	-	-	-	-	-	-	

<sup>1</sup>Cassia = Senna

Family	Botanical name	Collection No.	1 Dist- ribution	2 Growth form	3 Site type group						4 Total sites			
					1	2	3	4	5	6		7	8a	8b
Chenopodiaceae continued ...														
	<i>Maireana luehmanii</i>	7347	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Maireana melanocoma</i>		W	LS	-	-	-	-	-	-	-	-	-	
	<i>Maireana oppositifolia</i>		W	LS	-	-	-	-	-	-	-	-	-	
	<i>Maireana pentatropis</i>	7310	W	LS	-	p	p	p	-	-	-	-	p	6
	<i>Maireana planifolia</i>	2062	W	LS	-	p	p	p	p	p	p	-	-	27
	<i>Maireana planifolia x villosa</i>	2029	W	LS	-	p	-	p	-	p	p	-	-	14
	<i>Maireana platycarpa</i>	2070	W	LS	-	-	-	C	p	-	-	-	-	33
	<i>Maireana pyramidata</i>	6864	W	LS	-	p	p	C	C	p	p	-	-	152
	<i>Maireana sedifolia</i>	7006	W	S	-	-	p	p	C	p	-	-	-	88
	<i>Maireana suaedifolia</i>	7191	W	S	-	p	-	p	-	p	p	-	-	4
	<i>Maireana thesioides</i>	2047	W	LS	-	p	p	p	p	p	p	-	p	27
	<i>Maireana tomentosa</i>	2060	W	LS	-	p	-	C	C	p	p	-	-	62
	<i>Maireana trichoptera</i>	2022	W	LS	-	p	p	p	C	p	-	-	-	29
	<i>Maireana triptera</i>	2017	W	LS	p	p	p	C	C	p	C	-	C	138
	<i>Maireana villosa</i>	2074	W	LS	p	C	p	p	p	C	C	-	-	146
	<i>Pachycomia triandra</i>	2304	R	LS	-	-	-	-	-	-	-	-	-	
	<i>Rhagodia drummondii</i>	6852	W	LS	p	p	p	C	p	p	p	-	-	44
	<i>Rhagodia eremaea</i>	6801	W	S	p	C	C	p	C	C	C	-	p	253
	<i>Rhagodia preissii</i>	7344	W	S	-	-	-	p	-	-	p	-	-	2
	<i>Sclerolaena alata</i>	6904	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Sclerolaena cuneata</i>	6839	W	LS	-	p	-	p	p	-	p	-	-	4
	<i>Sclerolaena densiflora</i>	7217	W	LS	-	-	-	-	p	-	-	-	-	1
	<i>Sclerolaena deserticola</i>	6899	W	LS	-	p	-	p	-	-	-	-	-	2
	<i>Sclerolaena diacantha</i>	2699	W	LS	-	p	p	p	p	p	p	-	-	22
	<i>Sclerolaena divaricata</i>	2020	W	LS	-	-	-	-	p	-	-	-	-	1
	<i>Sclerolaena eriakantha</i>	7155	W	LS	-	-	-	-	p	p	-	-	-	2
	<i>Sclerolaena eriakantha x gardneri</i>	7112	R	LS	-	-	-	-	-	-	-	-	-	
	<i>Sclerolaena eurotioides</i>	7100	W	LS	-	-	-	p	p	-	-	-	-	4
	<i>Sclerolaena gardneri</i>	2046	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Sclerolaena lanicuspis</i>	2051	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Sclerolaena parviflora</i>	7447	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Sclerolaena patentiuspis</i>	6858	W	LS	-	-	-	-	p	-	-	-	-	1
	<i>Sclerolaena uniflora</i>		W	LS	-	-	-	-	p	-	-	-	-	1
	<i>Sclerostegia disarticulata</i>	2546	W	LS	-	-	-	p	p	-	-	-	-	2
	<i>Sclerostegia</i> sp.	2013	?	LS	-	-	-	-	-	-	-	-	-	
	<i>Tecticornia arborea</i>	2816	R	LS	-	-	-	-	-	-	-	-	-	
Chloanthaceae														
	<i>Dicrastyliis brunnea</i>	2207	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Dicrastyliis doranii</i>		W	LS	-	-	-	-	-	-	-	-	-	
	<i>Dicrastyliis exsuccosa</i>	2511	W	LS	-	p	-	-	-	-	-	-	-	1
	<i>Dicrastyliis exsuccosa</i> ssp. <i>exsuccosa</i> var. <i>tomentosa</i>	2598	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Dicrastyliis flexuosa</i>	2690	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Hemiphora elderi</i>	7495	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Lachnostachys coolgardiensis</i> <i>forma coolgardiensis</i>	6731	W	LS	p	-	-	-	-	-	-	-	-	1
	<i>Lachnostachys eriobotrya</i>		W	LS	-	-	-	-	-	-	-	-	-	
	<i>Newcastelia cephalantha</i>	2759	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Newcastelia hexarrhena</i>	6891	W	S	-	-	-	-	-	-	-	-	-	
	<i>Newcastelia insignis</i>	7590	P	LS	-	-	-	-	-	-	-	-	-	
	<i>Newcastelia viscida</i>	2210	W	LS	-	p	-	-	-	-	-	-	-	1
	<i>Pityrodia lepidota</i>	2678	W	S	p	-	-	-	-	-	-	-	-	1
	<i>Spartothamnella teucriiflora</i>	2462	W	LS	p	C	p	p	p	C	C	C	p	187
Colchicaceae														
	<i>Wurmbea deserticola</i>	6824	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Wurmbea odorata</i>		W	LS	-	-	-	-	-	-	-	-	-	
	<i>Wurmbea tenella</i>	6733	W	LS	-	-	-	-	-	-	-	-	-	
Convolvulaceae														
	<i>Bonamia rosea</i>	2576	W	LS	p	-	-	-	-	-	-	-	-	1
	<i>Convolvulus erubescens</i>	7300	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Porana commixta</i>	7253	W	C	-	-	-	-	p	-	p	p	-	3
Cupressaceae														
	<i>Callitris canescens</i>		W	T	-	-	-	-	-	-	-	-	-	
	<i>Callitris columellaris</i>	6768	W	T	p	p	-	p	-	p	p	-	-	9
	<i>Callitris preissii</i> ssp. <i>verrucosa</i>	2337	W	T	p	-	-	-	-	-	-	-	-	1

Family	Botanical name	Collection No.	1 Dist- ribution	2 Growth form	3 Site type group								4 Total sites	
					1	2	3	4	5	6	7	8a		8b
Cyperaceae														
	<i>Chrysitrix distigmata</i>	2101	W	G	p	-	-	-	-	-	-	-	-	1
	<i>Cyperus alterniflorus</i>	2766	W	G	-	-	-	-	-	-	-	-	-	
	<i>Cyperus gymnocaulos</i>	6926	W	G	-	-	-	-	-	-	-	-	-	
	<i>Lepidosperma drummondii</i>	7466	W	G	-	-	-	-	-	-	-	-	-	
	<i>Schoenus</i> sp.	2665	?	G	-	-	-	-	-	-	-	-	-	
Dasypogonaceae														
	<i>Chamaexeros fimbriata</i>	2155	W	G	-	-	-	-	-	-	-	-	-	
	<i>Lomandra leucocephala</i> ssp. <i>robusta</i>	6888	W	LS	p	-	-	-	-	-	-	-	-	4
	<i>Xerolirion divaricata</i>	2825	W	LS	-	-	-	-	-	-	-	-	-	
Dilleniaceae														
	<i>Hibbertia exasperata</i>	2583	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Hibbertia</i> sp. nov.	7536	?	LS	-	-	-	-	-	-	-	-	-	
Elatinaceae														
	<i>Bergia perennis</i>		W	LS	-	-	-	-	-	-	-	-	-	
Epacridaceae														
	<i>Leucopogon</i> aff. <i>conostephioides</i>	7385	W	LS	-	-	-	-	-	-	-	-	-	
Euphorbiaceae														
	<i>Bertya dimerostigma</i>	2420	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Beryia similis</i>	7043	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Calycopeplus ephedroides</i>	7453	W	S	-	-	-	-	-	-	-	-	-	
	<i>Monotaxis luteiflora</i>	2707	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Phyllanthus</i> sp.	2084	?	LS	-	-	-	-	-	-	-	-	-	
	<i>Phyllanthus</i> sp.	2492	?	LS	-	-	-	-	-	-	-	-	-	
Frankeniaceae														
	<i>Frankenia brachyphylla</i>	2097	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Frankenia cinerea</i>	7404	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Frankenia cordata</i>	2134	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Frankenia fecunda</i>	7345	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Frankenia georgei</i>		P	LS	-	-	-	-	-	-	-	-	-	
	<i>Frankenia laxiflora</i>	7377	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Frankenia magnifica</i>		W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Frankenia pauciflora</i>	6821	W	LS	-	-	-	p	p	-	-	-	-	6
	<i>Frankenia sessilis</i>	7374	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Frankenia setosa</i>	2595	W	LS	-	-	-	p	p	-	-	-	-	4
Goodeniaceae														
	<i>Dampiera lindleyi</i>	2467	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Dampiera royci</i>	2348	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Dampiera stenostachya</i>	7487	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Dampiera tenuicaulis</i>	7488	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Dampiera ramosa</i>	2684	P	LS	p	-	-	-	-	-	-	-	-	1
	<i>Goodenia maideniana</i>	7560	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Goodenia mueckeana</i>	2124	W	LS	p	-	-	-	-	-	-	-	-	2
	<i>Goodenia peacockiana</i>	7395	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Goodenia ramelii</i>	6829	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Scaevola basedowii</i>	2606	W	LS	p	-	-	-	-	-	-	-	-	1
	<i>Scaevola collina</i>	7340	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Scaevola depauperata</i>	7528	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Scaevola parviflora</i> ssp. <i>acuminata</i>	2632	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Scaevola restiacea</i>	7497	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Scaevola spinescens</i>		W	S	p	p	C	C	C	C	C	C	C	127
Gyrostemonaceae														
	<i>Codonocarpus cotinifolius</i>		W	T	p	p	-	-	-	-	-	-	-	2
	<i>Gyrostemon facemiger</i>	2719	W	TS	p	-	-	-	-	-	-	-	-	1
	<i>Gyrostemon ramulosus</i>	6828	W	TS	-	-	-	-	-	-	-	-	-	
Haloragaceae														
	<i>Glischrocaryon aureum</i>	7262	W	LS	p	-	-	-	-	-	-	-	-	1
Hydrocharitaceae														
	<i>Ottelia ovalifolia</i>	2799	W	LS	-	-	-	-	-	-	-	-	-	

Family	Botanical name	Collection No.	1 Distribution	2 Growth form	3 Site type group								4 Total sites	
					1	2	3	4	5	6	7	8a		8b
<b>Juncaceae</b>														
	<i>Juncus aridicola</i>	2723	W	G	-	-	-	-	-	-	-	-	-	
	<i>Juncus pauciflorus</i>	2246	W	G	-	-	-	p	-	-	-	p	-	3
<b>Lamiaceae</b>														
	<i>Hemigenia divaricata</i>	2536	W	LS	-	p	-	-	-	-	-	-	-	1
	<i>Hemigenia westringioides</i>	2235	W	S	-	-	-	-	-	-	-	-	-	
	<i>Hemigenia ?exilis</i>	7125	A	S	-	-	-	-	-	-	-	-	-	
	<i>Prostanthera aithoferi</i> ssp. <i>aithoferi</i>	2159	W	S	p	p	-	-	-	p	p	-	-	23
	<i>Prostanthera grylloana</i>	2213	W	S	-	p	-	-	-	-	-	-	-	2
	<i>Prostanthera magnifica</i>	7760	A	S	-	-	-	-	-	-	-	-	-	
	<i>Prostanthera wilkieana</i>	2670	W	LS	p	p	-	-	-	-	-	-	-	3
	<i>Salvia verbenaca</i>	6869	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Westringia rigida</i>	7037	W	LS	p	-	p	-	-	-	-	-	-	4
	<i>Wrixonia prostantheroides</i>	2135	W	LS	-	p	-	-	-	-	-	-	-	2
<b>Lauraceae</b>														
	<i>Cassytha melantha</i>	7464	W	C	-	-	-	-	-	-	-	-	-	
<b>Loganiaceae</b>														
	<i>Logania</i> sp. nov.	2720	?	LS	-	-	-	-	-	-	-	-	-	
<b>Loranthaceae</b>														
	<i>Amyema benthamii</i>	7327	W	E	-	-	-	-	-	-	-	-	-	
	<i>Amyema fitzgeraldii</i>	7017	W	E	-	-	p	p	-	-	-	-	-	2
	<i>Amyema gibberulum</i> var. <i>gibberulum</i>	6782	W	E	-	p	-	-	-	-	-	-	-	1
	<i>Amyema gibberulum</i> var. <i>tatei</i>	2608	W	E	-	-	-	-	-	-	-	-	-	
	<i>Amyema microphyllum</i>	2614	W	E	-	-	-	-	-	-	-	-	-	
	<i>Amyema miquellii</i>	6785	W	E	-	-	-	-	-	-	-	-	-	
	<i>Amyema nestor</i>	6914	W	E	-	-	-	-	-	-	-	-	-	
	<i>Amyema quandang</i>	2619	W	E	-	-	-	-	-	p	-	-	-	1
	<i>Lysiana casuarinae</i>	6832	W	E	-	-	-	p	p	-	p	-	-	5
	<i>Lysiana murrayi</i>	6813	W	E	-	-	-	-	-	-	p	-	-	1
	<i>Lysiana</i> sp.	6800	?	E	-	-	-	-	-	-	-	-	-	
<b>Malvaceae</b>														
	<i>Abutilon cryptopetalum</i>	7277	W	LS	-	p	-	p	p	p	p	p	-	19
	<i>Abutilon otocarpum</i>	2771	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Abutilon oxycarpum</i>	7526	W	LS	-	-	-	p	-	-	-	p	-	2
	<i>Abutilon</i> sp.	2640	R	LS	-	-	-	-	-	-	-	-	-	
	<i>Alyogyne pinoniana</i>	2531	W	LS	p	-	-	-	-	-	-	-	-	1
	<i>Hibiscus krichauffianus</i>	2669	W	LS	-	-	-	-	-	p	-	-	-	
	<i>Hibiscus sturtii</i>	2132	W	S	-	-	-	-	-	p	-	-	-	1
	<i>Hibiscus</i> sp.	2585	?	LS	-	-	-	-	-	-	-	-	-	2
	<i>Lawrencia chrysoderma</i>	2637	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Lawrencia helmsii</i>	6905	W	LS	-	-	-	p	-	-	-	-	-	
	<i>Lawrencia squamata</i>	2394	W	LS	-	-	-	C	p	-	-	-	-	1
	<i>Sida calyxhymeria</i>	6837	W	S	-	p	p	p	C	C	C	C	p	37
	<i>Sida corrugata</i> var. <i>ovata</i>	2496	W	LS	-	-	p	-	p	p	p	-	p	123
	<i>Sida filiformis</i>	7255	W	LS	-	p	p	-	p	p	p	-	-	7
	<i>Sida</i> sp. nov.	2775	?	LS	-	-	-	-	-	-	-	-	-	21
<b>Mimosaceae</b>														
	<i>Acacia acuarina</i>		W	S	-	-	-	-	-	-	-	-	-	
	<i>Acacia acuminata</i>		W	S	-	-	-	-	-	-	-	-	-	
	<i>Acacia aneura</i>	6777	W	TS	C	C	C	C	C	C	C	C	C	417
	<i>Acacia beauverdiana</i>		W	S	-	-	-	-	-	-	-	-	-	
	<i>Acacia brachystachya</i>	2837	W	S	-	-	-	-	-	-	-	-	-	
	<i>Acacia burkittii</i>		W	TS	p	p	C	p	C	p	p	C	C	68
	<i>Acacia colletioides</i>	6849	W	S	C	p	p	p	p	-	p	-	-	16
	<i>Acacia coolgardiensis</i>	6735	W	TS	p	p	-	-	-	-	-	-	-	3
	<i>Acacia coolgardiensis</i> ssp. <i>effusa</i>		W	TS	-	-	-	-	-	-	-	-	-	
	<i>Acacia craspedocarpa</i>	2592	W	TS	p	p	-	p	p	C	C	p	-	59
	<i>Acacia dictyophleba</i>	2714	W	S	p	-	-	-	-	-	-	-	-	1
	<i>Acacia 'donaldsonii'</i>	6938	R	S	-	-	-	-	-	-	-	-	-	
	<i>Acacia duriuscula</i>	2318	W	TS	-	-	-	-	-	-	-	-	-	
	<i>Acacia enervia</i>		W	LS	-	-	-	-	-	-	-	-	-	

Family	Botanical name	Collection No.	1 Distribution	2 Growth form	3 Site type group								4 Total sites	
					1	2	3	4	5	6	7	8a		8b
Mimosaceae continued ...														
	<i>Acacia eremophila</i> var. <i>variabilis</i>	2390	P	S	p	-	-	-	-	-	-	-	2	
	<i>Acacia erinacea</i>	2016	W	LS	-	p	p	p	p	p	-	-	p	7
	<i>Acacia exocaroides</i>	7434	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia grasbyi</i>		W	TS	-	-	p	-	-	p	-	-	-	3
	<i>Acacia holmsiana</i>	2741	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia hemiteles</i>	2163	W	S	p	p	C	p	p	p	p	-	-	23
	<i>Acacia heteroneura</i> var. <i>jutsonii</i>	2095	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia jamesiana</i>	6749	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia jennerae</i>	6850	W	S	-	-	-	-	p	-	p	-	-	2
	<i>Acacia 'kalgoorliensis'</i>	2366	R	S	-	-	-	p	-	-	p	-	-	3
	<i>Acacia kempeana</i>	2324	W	TS	-	p	p	-	-	-	-	-	-	2
	<i>Acacia ligulata</i>	2006	W	TS	p	p	p	p	p	p	p	-	-	18
	<i>Acacia linophylla</i>	6948	W	TS	p	C	-	p	-	p	p	p	-	36
	<i>Acacia longispinea</i>	7368	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia microbotrya</i>		W	S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia murrayana</i>	7198	W	TS	p	p	p	p	-	p	-	-	-	9
	<i>Acacia nyssophylla</i>	2031	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Acacia oswaldii</i>	2270	W	TS	-	-	p	p	-	-	-	-	-	3
	<i>Acacia pachyacra</i>	2519		S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia pachycarpa</i>	6844	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia papyrocarpa</i>	2189	W	T	-	-	-	p	p	p	-	-	-	3
	<i>Acacia prairii</i>	6787	W	S	p	p	-	-	-	-	-	-	-	4
	<i>Acacia prairii</i> ssp. <i>linearis</i>	2472	W	TS	-	-	-	-	-	-	-	-	-	-
	<i>Acacia pruinocarpa</i>	2705	W	T	-	p	-	-	-	p	p	-	-	6
	<i>Acacia quadrimarginea</i>	6770	W	TS	-	p	-	-	p	C	p	C	C	50
	<i>Acacia ramulosa</i>	6951	W	TS	p	C	p	p	p	p	C	-	-	117
	<i>Acacia resinomarginea</i>	6933	W	TS	-	-	-	p	-	p	-	-	-	3
	<i>Acacia restiacea</i>	7461	W	LS	-	-	-	-	-	-	-	-	-	-
	<i>Acacia rhodophloia</i>	2768	W	TS	-	-	-	-	-	-	-	-	-	-
	<i>Acacia sclerosperma</i>		W	TS	-	-	-	-	p	-	-	-	-	1
	<i>Acacia sibina</i>	7166	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia steedmanii</i>	7465	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia stowardii</i>	6967	W	S	-	-	-	-	-	p	-	C	-	1
	<i>Acacia tetragonophylla</i>	7280	W	TS	p	C	C	C	C	C	C	-	C	262
	<i>Acacia tysonii</i>	2109	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Acacia victoriae</i>	6802	W	TS	-	p	p	p	p	-	p	-	-	11
	<i>Acacia xerophila</i>	2839	W	TS	-	-	-	-	-	-	-	-	-	-
	<i>Acacia</i> sp.	2770	?	TS	-	-	-	-	-	-	-	-	-	-
Myoporaceae														
	<i>Eremophila abietina</i> ssp. <i>abietina</i>	2465	R	S	-	-	-	-	-	p	-	-	-	6
	<i>Eremophila abietina</i> ssp. <i>ciliata</i>	2686	R	S	-	-	-	-	-	-	-	-	-	-
	<i>Eremophila</i> aff. <i>gilesii</i>			LS	-	p	-	p	-	p	p	-	-	17
	<i>Eremophila alternifolia</i>	2184	W	TS	-	-	-	p	p	p	p	-	-	10
	<i>Eremophila clarkei</i>	2311	W	LS	p	p	p	p	p	p	C	-	-	37
	<i>Eremophila compacta</i>	6834	W	LS	-	p	-	-	-	p	p	-	-	16
	<i>Eremophila compacta</i> ssp. <i>fecunda</i>	2729	W	LS	-	-	-	-	-	p	-	-	-	2
	<i>Eremophila cuneifolia</i>	2731	W	S	-	-	-	-	-	p	-	-	-	1
	<i>Eremophila decipiens</i>	6798	W	S	C	p	C	p	p	p	p	-	-	24
	<i>Eremophila dempsteri</i>	2411	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Eremophila drummondii</i>	7454	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Eremophila eriocalyx</i>	7075	W	S	-	p	-	p	p	-	p	-	-	8
	<i>Eremophila exilifolia</i>	6772	W	LS	-	-	-	-	p	p	-	-	-	8
	<i>Eremophila falcata</i>	6853	W	S	p	p	p	p	-	-	-	-	-	4
	<i>Eremophila foliosissima</i>	2457	W	LS	-	p	-	p	-	-	p	-	-	22
	<i>Eremophila forrestii</i>	6846	W	S	p	C	p	p	p	C	C	-	-	135
	<i>Eremophila fraseri</i>	6910	W	S	-	p	-	p	p	C	p	-	-	53
	<i>Eremophila freelingii</i>	6778	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Eremophila georgei</i>	2233	W	LS	-	p	-	p	-	p	C	p	-	27
	<i>Eremophila gilesii</i>	2269	W	LS	p	C	-	p	-	p	p	-	-	27
	<i>Eremophila glabra</i>	7174	W	LS	p	p	-	p	p	p	-	-	-	14
	<i>Eremophila glandulifera</i>	6958	W	LS	-	p	-	p	p	p	C	-	p	35
	<i>Eremophila glutinosa</i>	2488	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Eremophila granitica</i>	7018	W	S	p	p	-	p	p	p	p	p	-	29
	<i>Eremophila homoplastica</i>	2112	W	LS	-	p	-	-	-	-	p	-	p	16
	<i>Eremophila interstans</i> ssp. <i>virgata</i>	2219	W	S	-	-	-	p	-	-	-	-	-	1



Family	Botanical name	Collection No.	1 Distribution	2 Growth form	3 Site type group								4 Total sites	
					1	2	3	4	5	6	7	8a		8b
Myoporaceae continued ...														
	<i>Eremophila ionantha</i>	2220	W	S	-	-	p	-	p	-	-	-	-	2
	<i>Eremophila latrobei</i>	6836	W	S	p	C	p	p	p	C	C	p	-	152
	<i>Eremophila linearis</i>	6865	W	S	-	p	-	p	-	-	-	-	-	2
	<i>Eremophila longifolia</i>	2078	W	T	p	p	p	p	p	p	p	p	-	16
	<i>Eremophila macmillaniana</i>	2049	W	TS	-	-	-	p	p	p	p	-	-	28
	<i>Eremophila maculata</i>	2111	W	LS	p	p	-	p	p	-	p	-	-	25
	<i>Eremophila 'malacoides'</i>	2635	W	LS	-	-	-	p	-	-	-	-	-	1
	<i>Eremophila margarethae</i>	6779	W	LS	p	C	-	p	-	C	C	p	-	74
	<i>Eremophila metallicorum</i>	6927	W	LS	-	-	-	p	-	-	p	-	-	2
	<i>Eremophila miniata</i>	2145	W	TS	-	-	-	p	p	-	-	-	-	7
	<i>Eremophila oldfieldii</i> ssp. <i>angustifolia</i>	6753	W	TS	-	-	p	p	C	p	p	-	-	34
	<i>Eremophila oppositifolia</i>	6928	W	TS	p	p	-	p	p	p	p	-	C	15
	<i>Eremophila paisleyi</i>	2224	W	S	-	-	-	-	p	-	-	-	-	1
	<i>Eremophila pantonii</i>	2550	W	S	-	-	-	p	p	-	-	-	-	3
	<i>Eremophila platycalyx</i>	2250	W	TS	-	p	p	p	p	p	p	-	-	26
	<i>Eremophila platythamnus</i>	7500	W	LS	p	-	-	-	-	-	-	-	-	2
	<i>Eremophila punctata</i>	2525	W	LS	-	-	-	-	-	p	-	p	-	5
	<i>Eremophila pungens</i>	6767	R	S	-	-	-	-	-	p	-	-	-	3
	<i>Eremophila pustulata</i>	2851	P	LS	-	-	-	-	-	-	-	-	-	-
	<i>Eremophila scoparia</i>	7372	W	S	p	p	p	p	C	p	p	-	C	51
	<i>Eremophila serrulata</i>	6870	W	S	-	-	p	p	p	p	p	-	-	16
	<i>Eremophila spectabilis</i>	6920	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Eremophila spinescens</i>		R	S	-	-	-	-	-	-	-	-	-	-
	<i>Eremophila spuria</i>	2748	W	S	p	-	-	-	-	-	-	-	-	1
	<i>Eremophila weldii</i>	2356	R	LS	-	p	-	-	-	-	-	-	-	1
	<i>Eremophila youngii</i> ssp. <i>youngii</i>	6960	W	TS	-	-	p	p	p	-	p	-	-	7
	<i>Myoporum acuminatum</i>	6915	W	TS	-	-	-	-	-	-	-	-	-	-
Myrtaceae														
	<i>Baeckea cryptandroides</i>	7136	W	LS	p	p	-	-	-	-	-	-	-	2
	<i>Baeckea elderiana</i>	7386	W	LS	-	p	-	-	-	-	-	-	-	1
	<i>Baeckea maidenii</i>	6919	W	LS	p	p	-	-	-	-	-	-	-	10
	<i>Baeckea</i> sp.	2738	?	LS	-	-	-	-	-	-	-	-	-	-
	<i>Calothamnus gilesii</i>	6781	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Calothamnus oldfieldii</i>	2758	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Calytrix amethystina</i>	2306	W	LS	-	-	-	-	-	-	-	-	-	-
	<i>Calytrix carinata</i>	2679	W	LS	p	-	-	-	-	-	-	-	-	2
	<i>Calytrix creswellii</i>	9101	P	LS	-	-	-	-	-	-	-	-	-	-
	<i>Calytrix desolata</i>	2127	W	LS	-	-	-	-	-	p	-	-	-	1
	<i>Calytrix divergens</i>	2228	W	LS	-	-	-	-	-	-	-	-	-	-
	<i>Calytrix praecipua</i>	2205	P	LS	-	-	-	-	-	p	-	-	-	1
	<i>Calytrix strigosa</i>	125	W	LS	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus brachycorys</i>	2326	R	M	-	p	-	-	-	-	-	-	-	1
	<i>Eucalyptus brachyphylla</i>	2534	R	M	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus camaldulensis</i>	2192	W	T	-	-	-	-	-	-	-	C	-	2
	<i>Eucalyptus campaspe</i>	2218	R	M	-	p	-	-	-	-	-	-	-	1
	<i>Eucalyptus carnei</i>	6945	W	T/M	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus celastroides</i>	2177	W	M	-	-	-	-	-	-	-	-	p	1
	<i>Eucalyptus celastroides</i> ssp. <i>celastroides</i>	2698	W	M	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus ceratocorys</i>		W	M	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus chippendalei</i>	2743	W	T	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus clelandii</i>	7042	R	T/M	-	-	p	p	-	p	-	-	-	3
	<i>Eucalyptus concinna</i>	2001	W	M	p	p	p	-	p	-	-	-	-	9
	<i>Eucalyptus cylindrocarpa</i>	2340	W	M	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus deserticola</i>	6893	W	T/M	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus dundasii</i>	7065	W	T	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus ebbanoensis</i>	2374	W	M	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus ewartiana</i>	6997	W	M	-	p	-	p	-	p	p	-	-	4
	<i>Eucalyptus flocktoniae</i>	2412	W	T/M	p	-	-	-	-	-	-	-	-	1
	<i>Eucalyptus glomerosa</i>	6886	W	M	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus gongylocarpa</i>	6750	W	T	p	-	-	-	-	-	-	-	-	2
	<i>Eucalyptus gracilis</i>	2351	W	M	p	p	p	p	-	-	p	-	-	7
	<i>Eucalyptus jutsonii</i>	7020	P	M	-	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus kingsmillii</i>	6734	W	M	p	-	-	-	-	-	-	-	-	1
	<i>Eucalyptus kochii</i>	6912	W	M	-	-	-	-	-	-	-	-	-	-

Family	Botanical name	Collection No.	1 Dist- ribution	2 Growth form	3 Site type group								4 Total sites
					1	2	3	4	5	6	7	8a	
Myrtaceae continued ...													
	<i>Eucalyptus lenziana</i>		W	M	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus leptophylla</i>		W	M	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus leptopoda</i>	6784	W	M	-	p	-	-	-	-	-	-	2
	<i>Eucalyptus lesouefii</i>	6806	W	T/M	-	-	p	p	p	p	-	p	8
	<i>Eucalyptus liessophloia</i>	7018	W	T/M	-	p	-	p	-	p	-	-	4
	<i>Eucalyptus longicornis</i>		W	T	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus lucasii</i>	6848	W	M	-	p	-	p	p	-	p	-	6
	<i>Eucalyptus nigrifunda</i>	2097	P	M	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus oldfieldii</i>	2183	W	M	p	p	-	-	-	-	-	-	4
	<i>Eucalyptus oleosa</i>	2033	W	M	p	p	-	-	-	-	-	-	4
	<i>Eucalyptus orbifolia</i>	7073	W	M	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus pimpiniana</i>	2407	P	M	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus rigidula</i>		W	M	p	-	-	-	-	-	-	-	1
	<i>Eucalyptus salmonophloia</i>		W	T	-	-	-	p	-	-	p	-	2
	<i>Eucalyptus salubris</i> var. <i>salubris</i>	2178	W	T/M	-	-	-	p	p	p	-	-	5
	<i>Eucalyptus socialis</i>	7033	W	M	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus striaticalyx</i>	6941	W	T	-	-	-	p	-	-	-	-	2
	<i>Eucalyptus stricklandii</i>	2179	W	T	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus subulcita</i>		R	M	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus trichopoda</i>	6966	W	T/M	p	p	p	p	-	-	-	-	10
	<i>Eucalyptus trivalvis</i>	2696	W	M	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus yilgamensis</i>	2399	W	M	-	-	-	-	-	-	-	-	-
	<i>Eucalyptus youngiana</i>	6898	W	M	p	p	-	-	-	p	-	-	5
	<i>Kunzea pulchella</i>	7456	W	TS	-	-	-	-	-	-	-	-	-
	<i>Melaleuca</i> aff. <i>glomerata</i>	2736	W	TS	-	-	-	-	-	-	-	-	-
	<i>Melaleuca cordata</i>	2860	W	S	-	-	-	-	-	-	-	-	-
	<i>Melaleuca cymbifolia</i>		W	S	-	-	-	-	-	-	-	-	-
	<i>Melaleuca eleuterostachya</i>	2711	W	S	-	-	-	-	-	-	-	-	-
	<i>Melaleuca fulgens</i> x <i>radula</i>	2165	W	TS	-	-	-	-	-	-	-	-	-
	<i>Melaleuca lanceolata</i>		W	S	-	-	-	-	-	-	-	-	-
	<i>Melaleuca leiocarpa</i>	2187	W	TS	-	p	-	-	-	-	-	-	1
	<i>Melaleuca radula</i>	7247	W	S	-	-	-	-	-	p	-	-	1
	<i>Melaleuca sheathiana</i>	6799	W	TS	-	p	p	p	-	-	-	-	12
	<i>Melaleuca uncinata</i>	6943	W	TS	p	p	p	p	-	-	p	-	18
	<i>Micromyrtus clavata</i>	6974	W	S	-	-	-	-	-	-	-	-	-
	<i>Micromyrtus flaviflora</i>	7076	W	LS	-	p	-	-	-	-	-	-	2
	<i>Micromyrtus hymenonema</i>	2572	R	LS	-	-	-	-	-	p	-	-	1
	<i>Micromyrtus obovatus</i>	7036	W	S	p	-	-	-	-	-	-	-	1
	<i>Micromyrtus racemosa</i>	6887	W	S	-	-	-	-	-	-	-	-	-
	<i>Thryptomene appressa</i>	2362	W	LS	-	-	-	-	-	p	-	-	2
	<i>Thryptomene aspera</i>	6736	W	S	p	p	-	-	-	p	-	-	3
	<i>Thryptomene decussata</i>	2128	W	S	-	-	-	-	p	-	-	-	1
	<i>Thryptomene maisonneuvei</i>	6890	W	S	-	p	-	-	-	-	-	-	1
	<i>Thryptomene mucronulata</i>	7127	W	S	-	-	-	-	-	p	-	-	2
	<i>Thryptomene strongylophylla</i>	6786	W	S	-	-	-	-	-	-	-	-	-
	<i>Thryptomene urceolaris</i>	7472	W	S	-	-	-	-	-	-	-	-	-
	<i>Verticordia helmsii</i>	2206	R	LS	-	-	-	-	-	-	-	-	-
	<i>Verticordia interioris</i>	7332	P	LS	-	-	-	-	-	p	-	-	1
	<i>Wehlia thryptomenoides</i>	7143	W	LS	p	p	-	-	-	-	-	-	3
Oleaceae													
	<i>Jasminum calcareum</i>	2629	W	C	-	-	-	-	-	-	-	-	-
Papilionaceae													
	<i>Bossiaea concinna</i>	2450	W	LS	p	-	-	-	-	-	-	-	1
	<i>Bossiaea walkeri</i>	7443	W	S	p	-	-	-	-	-	-	-	1
	<i>Daviesia grahamii</i>	7259	W	LS	-	p	-	-	p	-	-	-	2
	<i>Daviesia ericifolia</i>	2721	R	LS	p	-	p	p	p	-	-	-	4
	<i>Eutaxia</i> aff. <i>microphylla</i>	2846	W	LS	-	-	-	-	-	-	-	-	-
	<i>Gastrolobium laytonii</i>	2763	W	TS	-	-	-	-	-	-	-	p	1
	<i>Indigofera brevidens</i>	7396	W	LS	-	-	-	-	-	-	-	-	-
	<i>Indigofera georgei</i>	2024	W	LS	-	p	-	-	-	p	p	-	6
	<i>Jacksonia foliosa</i>	2122	W	S	p	p	-	p	-	-	-	-	5
	<i>Jacksonia racemosa</i>	2746	W	LS	p	-	-	-	-	-	-	-	1
	<i>Jacksonia</i> sp.	2158	W	S	-	-	-	-	-	-	-	-	-
	<i>Kennedia prorepens</i>	2625	W	LS	-	-	-	-	-	-	-	-	-

Family	Botanical name	Collection No.	1 Dist- ribution	2 Growth form	3 Site type group								4 Total sites
					1	2	3	4	5	6	7	8a	
Papilionaceae continued ...													
	<i>Leptosema cerviorne</i>	7582	W	LS	-	-	-	-	-	-	-	-	-
	<i>Leptosema chambersii</i>	6827	W	LS	p	p	-	-	-	-	-	-	6
	<i>Leptosema chambersii</i> ssp. <i>platypoda</i>	7496	R	LS	p	p	-	-	-	-	-	-	6
	<i>Mirbelia depressa</i>	2539	W	LS	-	-	-	-	-	-	-	-	
	<i>Mirbelia microphyllum</i>	2073	W	S	-	-	-	-	-	-	-	-	
	<i>Mirbelia rhagodioides</i>	2522	W	S	-	p	-	-	-	p	-	p	3
	<i>Mirbelia seorsifolia</i>	7424	W	S	-	-	-	-	-	-	-	-	
	<i>Mirbelia spinosa</i>		W	S	-	p	-	-	-	p	p	-	11
	<i>Mirbelia stipitata</i>		P	LS	-	-	-	-	-	-	-	-	
	<i>Mirbelia</i> sp.	7482	?	S	-	-	-	-	-	-	-	-	
	<i>Mirbelia</i> sp.	2813	?	S	-	-	-	-	-	-	-	-	
	<i>Pultenaea capitata</i>	2783	W	LS	-	-	-	-	-	-	-	-	
	<i>Pultenaea humilis</i>	2742	R	LS	p	-	-	-	-	-	-	-	1
	<i>Templetonia egena</i>	2402	W	S	p	p	-	p	-	-	-	-	3
	<i>Templetonia sulcata</i>		W	S	-	-	-	-	-	-	-	-	
Phormiaceae													
	<i>Dianella revoluta</i>	7409	W	G	p	C	-	-	-	p	C	C	65
	<i>Stypandra glauca</i>	7467	W	G	-	-	-	-	-	-	-	-	
Pittosporaceae													
	<i>Billardiera bicolor</i>	K185	W	S	-	-	-	-	-	-	-	-	
	<i>Billardiera ringens</i>		W	S	-	-	-	-	-	-	-	-	
	<i>Bursaria occidentalis</i>	2156	W	TS	p	p	-	-	-	-	p	-	6
	<i>Pittosporum phylliraeoides</i>	6924	W	T	-	-	p	p	p	p	p	-	18
Plumbaginaceae													
	<i>Muellerolimon salicorniaceum</i>	2777	W	LS	-	-	-	-	-	-	-	-	
Poaceae													
	<i>Amphipogon caricinus</i>	7270	W	G	p	p	-	-	p	p	-	-	21
	<i>Bothriochloa ewartiana</i>		W	G	-	-	-	-	-	-	-	-	
	<i>Cenchrus ciliaris</i>		*	G	-	-	-	-	-	-	-	-	
	<i>Cymbopogon ambiguus</i>	7397	W	G	-	-	-	-	-	p	-	p	3
	<i>Cymbopogon oblectus</i>	2345	W	G	-	-	-	-	-	p	-	-	1
	<i>Cynodon dactylon</i>	2831	W	G	-	-	-	-	-	-	-	-	
	<i>Digitaria brownii</i>	2801	W	G	-	p	-	-	-	-	p	-	2
	<i>Enneapogon avenaceus</i>	2286	W	G	-	-	-	-	-	-	-	-	
	<i>Enteropogon acicularis</i>		W	G	-	-	-	p	-	-	-	-	2
	<i>Eragrostis australasica</i>	2463	W	G	-	-	-	-	-	-	p	-	1
	<i>Eragrostis eriopoda</i>	7123	W	G	C	C	p	p	p	p	C	p	144
	<i>Eragrostis falcata</i>	2807	W	G	-	-	p	p	-	-	p	-	3
	<i>Eragrostis laniflora</i>	2780	W	G	-	-	-	-	-	-	-	-	
	<i>Eragrostis lanipes</i>		W	G	-	p	-	-	-	-	-	-	1
	<i>Eragrostis leptocarpa</i>	2396	W	G	-	-	-	-	-	-	p	-	1
	<i>Eragrostis setifolia</i>	2588	W	G	-	-	p	-	-	-	-	-	1
	<i>Eragrostis xerophila</i>	2502	W	G	-	-	p	-	-	-	-	-	1
	<i>Eriachne flaccida</i>	2695	W	G	-	-	-	-	-	-	p	p	3
	<i>Eriachne helmsii</i>	6905	W	G	p	C	p	p	p	p	p	p	75
	<i>Eriachne mucronata</i>	2664	W	G	-	p	-	-	p	p	p	-	31
	<i>Monachather paradoxa</i>	2075	W	G	p	C	p	p	-	p	p	-	88
	<i>Panicum decompositum</i>	2838	W	G	-	-	-	-	-	-	-	-	
	<i>Plectrachne melvillei</i>	2726	W	G	-	-	-	-	-	-	-	-	
	<i>Plectrachne rigidissima</i>	7167	W	G	p	p	-	-	-	-	-	-	2
	<i>Stipa elegantissima</i>	7178	W	G	p	p	C	p	p	p	p	-	53
	<i>Stipa platychaeta</i>	2225	W	G	-	-	-	p	-	-	-	-	1
	<i>Stipa plumigera</i>	7317	W	G	-	-	-	-	-	-	-	-	
	<i>Stipa variabilis</i>		W	G	-	-	-	-	p	-	-	-	1
	<i>Themeda triandra</i>	2263	W	G	-	-	-	-	-	-	p	p	2
	<i>Thyridolepis mitchelliana</i>	2119	W	G	-	p	-	-	-	p	p	-	14
	<i>Thyridolepis multiculmis</i>	2651	W	G	-	p	-	-	-	p	p	-	18
	<i>Triodia basedowii</i>	2079	W	G	C	C	-	p	-	p	p	-	37
	<i>Triodia irritans</i>	2672	W	G	p	-	-	-	-	-	-	-	3
	<i>Triodia scariosa</i>	7438	W	G	p	p	p	-	-	-	-	-	4
	<i>Triodia secunda</i>	7520	W	G	-	-	-	-	-	-	-	-	
	<i>Tripogon loliformis</i>	6838	W	G	-	-	-	-	-	p	p	-	2

Family	Botanical name	Collection No.	1 Distribution	2 Growth form	3 Site type group								4 Total sites	
					1	2	3	4	5	6	7	8a		8b
Polygalaceae	<i>Comesperma integerrimum</i>	7444	W	C	-	-	-	-	-	-	-	-	-	-
Polygonaceae	<i>Muehlenbeckia cunninghamii</i>	6962	W	S	p	p	-	p	-	-	p	-	-	6
Proteaceae	<i>Conospermum toddii</i>	2682	A	S	p	-	-	-	-	-	-	-	-	1
	<i>Dryandra arborea</i>	7480	R	T	-	-	-	-	-	-	-	-	-	-
	<i>Grevillea acacioides</i>	7146	W	S	p	p	-	-	-	-	-	-	-	2
	<i>Grevillea acuaria</i>	7044	W	S	p	p	p	-	-	-	-	-	-	6
	<i>Grevillea aff. sarissa</i>	7374	R	S	-	-	-	p	-	-	-	-	-	1
	<i>Grevillea berryana</i>	2812	W	TS	p	p	p	-	-	-	p	-	-	5
	<i>Grevillea deflexa</i>	2761	W	LS	-	p	-	-	-	-	p	-	-	2
	<i>Grevillea didymobotrya</i>	7140	W	TS	p	p	p	-	-	p	p	-	-	9
	<i>Grevillea extorris</i>	2245	W	S	-	p	p	-	-	p	-	-	-	3
	<i>Grevillea georgeana</i>	7483	P	S	-	-	-	-	-	-	-	-	-	-
	<i>Grevillea hakeoides</i>		W	S	-	-	-	-	-	-	-	-	-	-
	<i>Grevillea haplantha</i>	7449	W	S	p	-	-	-	-	-	-	-	-	1
	<i>Grevillea inconspicua</i>	6757	A	S	-	-	-	-	-	p	-	-	-	1
	<i>Grevillea juncifolia</i>	7147	W	TS	p	-	-	-	-	-	-	-	-	2
	<i>Grevillea nana</i>	7583	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Grevillea nematophylla</i>	2238	W	TS	-	-	-	-	-	-	-	-	-	-
	<i>Grevillea ninghanensis</i>	2268	W	S	-	-	-	p	-	-	p	-	-	2
	<i>Grevillea obliquistigma</i>	2676	W	TS	p	-	-	-	-	-	-	-	-	2
	<i>Grevillea petrophiloides</i>	2209	W	S	-	p	-	-	-	-	p	-	-	2
	<i>Grevillea petrophiloides</i> ssp. <i>oligomera</i>	7473	W	S	-	-	-	-	-	-	-	-	-	-
	<i>Grevillea pterosperma</i>	7450	W	S	p	-	-	-	-	-	-	-	-	1
	<i>Grevillea sarissa</i>	2153	W	S	-	p	-	p	-	-	p	-	-	5
	<i>Grevillea stenobotrya</i>	2113	W	TS	-	-	-	-	-	-	p	-	-	1
	<i>Hakea arida</i>	2702	W	TS	-	p	-	-	-	-	p	-	-	5
	<i>Hakea coriacea</i>		W	TS	p	-	-	-	-	-	-	-	-	1
	<i>Hakea francisiana</i>	2003	W	TS	p	p	-	-	-	-	-	-	-	3
	<i>Hakea minyma</i>	2089	W	TS	p	p	-	-	-	-	-	-	-	3
	<i>Hakea petiolaris</i>		W	TS	-	-	-	-	-	-	-	-	-	-
	<i>Hakea preissii</i>		W	TS	-	p	-	C	C	p	p	-	-	95
	<i>Hakea recurva</i>	2549	W	TS	-	p	-	-	p	p	p	-	-	6
	<i>Hakea suberea</i>	6925	W	T	-	p	-	p	-	p	p	p	-	11
Restionaceae	<i>Lepidobolus deserti</i>	7148	P	G	-	-	-	-	-	-	-	-	-	-
Rhamnaceae	<i>Cryptandra 'aridicola'</i>	2380	W	LS	-	-	-	-	-	-	-	-	-	-
	<i>Cryptandra connata</i>	2040	W	S	-	p	-	-	-	-	p	-	-	4
	<i>Cryptandra glabriflora</i>	2281	W	LS	-	-	-	-	-	-	-	-	-	-
	<i>Cryptandra leucophracta</i>	2212	W	LS	-	-	-	-	-	-	-	-	-	-
	<i>Cryptandra nutans</i>	2419	R	LS	-	-	-	-	-	-	-	-	-	-
	<i>Granitites intangenda</i>	2330	P	LS	-	-	-	-	-	-	-	-	-	-
	<i>Spyridium aff. complicatum</i>	2755	W	LS	-	-	-	-	-	-	-	-	-	-
Rubiaceae	<i>Canthium attenuatum</i>	2086	W	TS	p	p	-	-	p	p	p	-	-	20
	<i>Canthium latifolium</i>		W	TS	-	p	-	-	-	p	p	p	p	8
	<i>Canthium lineare</i>	6845	W	TS	p	C	-	p	p	p	C	p	-	71
	<i>Pomax umbellata</i>	2661	W	LS	-	-	-	-	-	-	-	-	-	-
Rutaceae	<i>Boronia coerulescens</i> ssp. <i>coerulescens</i>		W	LS	-	-	-	-	-	-	-	-	-	-
	<i>Boronia coerulescens</i> ssp. <i>spinescens</i>	7469	W	LS	-	-	-	-	-	-	-	-	-	-
	<i>Eriostemon brucei</i>	6985	W	S	-	p	-	-	-	p	-	-	-	2
	<i>Eriostemon linearis</i>	2516	P	LS	-	-	-	-	-	-	-	-	-	-
	<i>Eriostemon thryptomenoides</i>	7169	W	LS	-	p	-	-	-	-	-	-	-	1
	<i>Eriostemon tomentellus</i>	2325	W	LS	-	p	-	-	-	-	-	-	-	2
	<i>Phebalium canaliculatum</i>	7175	W	S	-	p	-	-	-	-	-	-	-	8
	<i>Phebalium</i> sp. nov.	7521	W	S	p	-	-	-	-	-	-	-	-	1
	<i>Philotheca tubiflora</i>	2675	P	S	-	-	-	-	-	-	-	-	-	-

Family	Botanical name	Collection No.	1 Dist- ribution	2 Growth form	3 Site type group							4 Total sites		
					1	2	3	4	5	6	7		8a	8b
<b>Santalaceae</b>														
	<i>Exocarpos aphyllus</i>	6805	W	TS	p	p	p	p	p	p	p	-	p	24
	<i>Exocarpos sparteus</i>	6783	W	S	p	-	-	-	-	-	-	-	-	1
	<i>Leptomeria preissiana</i>	7263	W	S	-	-	-	-	-	-	-	-	-	
	<i>Santalum acuminatum</i>	2611	W	T	-	p	p	p	-	-	p	-	-	7
	<i>Santalum lanceolatum</i>		W	T	p	p	-	p	-	p	p	-	-	10
	<i>Santalum spicatum</i>	2175	W	T	p	p	p	p	p	p	p	p	C	32
<b>Sapindaceae</b>														
	<i>Alectryon oleifolius</i>	7432	W	T	-	p	p	p	p	p	p	-	-	7
	<i>Diplopetis stuartii</i> var. <i>stuartii</i>	2533	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Dodonaea amblyophylla</i>		W	S	p	-	-	-	-	-	-	-	-	1
	<i>Dodonaea lobulata</i>	2008	W	S	-	p	p	p	C	p	p	-	p	29
	<i>Dodonaea microzyga</i>	2129	W	S	p	-	-	p	-	p	-	-	-	3
	<i>Dodonaea microzyga</i> var. <i>acrolobata</i>	7486	W	S	-	-	-	-	-	-	-	-	-	3
	<i>Dodonaea rigida</i>	7153	W	S	p	p	p	p	p	p	p	p	p	29
	<i>Dodonaea viscosa</i>		W	S	p	p	p	p	p	p	p	p	p	11
	<i>Dodonaea viscosa</i> ssp. <i>angustissima</i>	2146	W	TS	p	p	p	p	p	p	-	-	-	8
<b>Scrophulariaceae</b>														
	<i>Morgania floribunda</i>	6820	W	LS	-	-	-	-	-	-	-	-	-	
<b>Solanaceae</b>														
	<i>Anthotroche pannosa</i>	6889	W	LS	p	-	-	-	-	-	-	-	-	3
	<i>Crenidium spinescens</i>	7439	R	S	-	-	-	-	-	-	-	-	-	
	<i>Cyphanthera miersiana</i>	2757	R	S	-	-	-	-	-	-	-	-	-	
	<i>Duboisia hopwoodii</i>	6732	W	TS	p	p	-	-	p	-	p	-	-	8
	<i>Lycium australe</i>	6803	W	S	-	-	p	C	p	p	-	-	-	28
	<i>Solanum ashbyae</i>	2460	W	LS	-	-	-	-	-	p	-	-	-	3
	<i>Solanum centrale</i>	2597	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Solanum ferocissimum</i>	2036	W	LS	p	p	-	p	-	p	p	-	-	11
	<i>Solanum horridum</i>	2363	W	LS	-	p	-	-	p	p	p	-	p	9
	<i>Solanum lasiophyllum</i>		W	LS	p	C	C	C	C	C	C	C	C	336
	<i>Solanum orbiculatum</i>	6847	W	LS	p	p	p	p	p	p	p	-	p	37
	<i>Solanum plicatile</i>	2131	W	LS	p	-	-	-	-	-	-	-	-	2
	<i>Solanum sturtianum</i>	2064	W	LS	-	-	-	-	-	p	-	-	-	1
	<i>Solanum terraneum</i>	6977	W	LS	-	-	-	-	-	-	-	-	-	
<b>Stackhousiaceae</b>														
	<i>Stackhousia dielsii</i>	2358	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Stackhousia megaloptera</i>	2677	W	LS	p	-	-	-	-	-	-	-	-	1
<b>Sterculiaceae</b>														
	<i>Brachychiton gregorii</i>		W	T	p	p	p	p	p	p	p	-	-	24
	<i>Hannafordia bissillii</i>	6895	W	S	p	-	-	-	-	-	-	-	-	2
	<i>Keraudrenia integrifolia</i>	7251	W	LS	p	-	-	-	-	-	-	-	-	1
	<i>Rulingia toxophylla</i>	2125	W	LS	p	p	-	-	-	-	-	-	-	2
	<i>Rulingia luteiflora</i>	2344	W	S	-	-	-	-	-	p	-	-	-	1
<b>Stylidiaceae</b>														
	<i>Stylidium arenicola</i>	7501	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Stylidium dielsianum</i>	7133	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Stylidium longibracteatum</i>	7506	W	LS	-	-	-	-	-	p	-	-	-	2
	<i>Stylidium perpusillum</i>	7463	W	LS	-	-	-	-	-	-	-	-	-	
<b>Surianaceae</b>														
	<i>Stylobasium spathulatum</i>		W	S	-	-	-	-	-	-	-	-	-	
<b>Thymelaeaceae</b>														
	<i>Pimelea angustifolia</i>	7599	W	LS	-	-	-	-	-	-	-	-	-	
	<i>Pimelea microcephala</i>	6982	W	S	p	-	p	p	p	p	p	-	-	9
	<i>Pimelea subvillifera</i>	7534	W	LS	-	-	-	-	-	-	-	-	-	
<b>Violaceae</b>														
	<i>Hybanthus floribundus</i>	6973	W	LS	-	-	-	-	-	-	-	-	-	
<b>Xanthorrhoeaceae</b>														
	<i>Xanthorrhoea thorntonii</i>		R	TS	p	-	-	-	-	-	-	-	-	
<b>Zygophyllaceae</b>														
	<i>Zygophyllum fruticosum</i>	7077	W	LS	-	p	-	-	-	-	-	-	-	1

## Key

### 1. Distribution

- W widespread
- R restricted
- P Priority flora
- A Declared rare flora
- \* naturalised species, not native to Western Australia

### 2. Growth form

- T tree
- M mallee
- TS tall shrub (> 2 m)
- S shrub (1-2 m)
- LS low shrub (< 1 m)
- G grass or grass-like
- C creeper
- E epiphyte

### 3. Site type group

1. Sandplain spinifex hummock grasslands.
  2. Acacia shrublands on deep sandy soils.
  3. Woodlands/shrublands on groundwater calcretes associated with ancient drainage valleys.
  4. Mixed halophytic low shrublands on depositional plains.
  5. Chenopod low or mid shrublands on hillsides and stony plains.
  6. Acacia, eromophila and cassia dominated shrublands on shallow soils.
  7. Mulga shrublands with sparse sclerophyll understoreys associated with hardpan plains.
  - 8a. Creek bank woodlands/shrublands.
  - 8b. Greenstone hill (non-halophytic) eucalypt woodlands.
- p present
- C Common (recorded at 20% or more of the Inventory sites in the site type group).
- Not recorded at any Inventory sites within the site type group.

### 4. Total sites

The number of inventory sites at which the species was recorded.

## Appendix 1 (ii). Common perennial plants in the survey area

### Trees, mallees and tall shrubs (commonly taller than 2 m)

<i>Acacia aneura</i>	mulga	<i>Eremophila miniata</i>	lake poverty bush
<i>Acacia burkittii</i>	fine leaf jam	<i>Eremophila oldfieldii</i> ssp. <i>angustifolia</i>	pixie bush
<i>Acacia coolgardiensis</i>	sugar brother, spinifex wattle	<i>Eremophila oppositifolia</i>	weeooka, twin-leaf eremophila
<i>Acacia craspedocarpa</i>	hop mulga	<i>Eremophila platycalyx</i>	granite poverty bush
<i>Acacia ligulata</i>	umbrella bush	<i>Eremophila youngii</i> ssp. <i>youngii</i>	
<i>Acacia linophylla</i>	wanyu	<i>Eucalyptus concinna</i>	desert gum
<i>Acacia murrayana</i>	fire wattle	<i>Eucalyptus gongylocarpa</i>	marble gum
<i>Acacia pruinocarpa</i>	gidgee	<i>Eucalyptus gracilis</i>	snap and rattle
<i>Acacia quadrimarginea</i>	granite wattle	<i>Eucalyptus lesouefii</i>	Goldfields blackbutt
<i>Acacia ramulosa</i>	bowgada, horse mulga	<i>Eucalyptus lucasii</i>	Barlee box
<i>Acacia tetragonophylla</i>	curara	<i>Eucalyptus salubris</i> var. <i>salubris</i>	gimlet
<i>Acacia victoriae</i>	bardi bush, prickly acacia	<i>Eucalyptus trichopoda</i>	
<i>Alectryon oleifolius</i>	mingah bush, bullock bush	<i>Eucalyptus youngiana</i>	large-fruited mallee
<i>Brachychiton gregorii</i>	desert kurrajong	<i>Exocarpos aphyllus</i>	naked lady, leafless ballart
<i>Bursaria occidentalis</i>	native box	<i>Grevillea didymobotrya</i>	
<i>Callitris columellaris</i>	native pine	<i>Hakea preissii</i>	needle bush
<i>Canthium attenuatum</i>		<i>Hakea recurva</i>	stand back
<i>Canthium latifolium</i>	wild lemon, native currant	<i>Hakea suberea</i>	corkwood
<i>Canthium lineare</i>		<i>Metaleuca sheathiana</i>	boree
<i>Casuarina cristata</i>	black oak	<i>Metaleuca uncinata</i>	broombush
<i>Dodonaea viscosa</i> ssp. <i>angustissima</i>		<i>Pittosporum phylliraecoides</i>	native willow
<i>Duboisia hopwoodii</i>	pituri	<i>Santalum acuminatum</i>	sweet quandong
<i>Eremophila altemifolia</i>	poverty bush	<i>Santalum lanceolatum</i>	plum bush
<i>Eremophila longifolia</i>	berrigan	<i>Santalum spicatum</i>	sandalwood
<i>Eremophila macmilliana</i>	grey turpentine bush		

### Shrubs (commonly 1-2 m)

<i>Acacia colletioides</i>	wait a while wattle	<i>Eremophila fraseri</i>	turpentine bush
<i>Acacia hemiteles</i>	tan wattle	<i>Eremophila granitica</i>	thin-leaved poverty bush
<i>Atriplex bunburyana</i>	silver saltbush	<i>Eremophila latrobei</i>	warty-leaf eremophila
<i>Cassia artemisioides</i>	silver cassia	<i>Eremophila scoparia</i>	broom bush
<i>Cassia charlesiana</i>		<i>Eremophila serrulata</i>	
<i>Cassia chatelainiana</i>	green cassia	<i>Grevillea sarissa</i>	wheel grevillea
<i>Cassia desolata</i>	straight leaf cassia	<i>Lycium australe</i>	water bush, Australian boxthorn
<i>Cassia helmsii</i>	crinkled cassia	<i>Maireana convexa</i>	mulga bluebush
<i>Cassia nemophila</i>	desert cassia	<i>Maireana sedifolia</i>	pearl bluebush, bluebush
<i>Cassia sturtii</i>	variable cassia	<i>Mirbelia spinosa</i>	
<i>Cratystylis subspinescens</i>	sage	<i>Pimelea microcephala</i>	shrubby rice flower, banjine
<i>Dodonaea lobulata</i>	hop bush	<i>Prostanthera althoferi</i> ssp. <i>althoferi</i>	
<i>Dodonaea rigida</i>		<i>Ptilotus divaricatus</i>	climbing mulla mulla
<i>Dodonaea viscosa</i>	sticky hop bush	<i>Rhagodia eremaea</i>	tall saltbush
<i>Eremophila abietina</i> ssp. <i>abietina</i>	fir-like eremophila	<i>Scaevola spinescens</i>	currant bush
<i>Eremophila decipiens</i>	slender fuchsia	<i>Sida calyxhymentia</i>	tall sida
<i>Eremophila eriocalyx</i>	desert pride		
<i>Eremophila forrestii</i>	Wilcox bush		

### Low shrubs (commonly < 1 m)

<i>Abutilon cryptopetalum</i>		<i>Eremophila exilifolia</i>	little turpentine poverty bush
<i>Atriplex vesicaria</i>	bladder saltbush	<i>Eremophila foliosissima</i>	
<i>Baeckea maidenii</i>		<i>Eremophila georgei</i>	
<i>Cassia phyllodinea</i>		<i>Eremophila foliosissima</i>	
<i>Cheilanthes austrotenuifolia</i>	rock fern	<i>Eremophila gilesii</i>	turkey bush
<i>Chenopodium curvispicatum</i>		<i>Eremophila glabra</i>	tar bush
<i>Chenopodium gaudichaudianum</i>	scrambling saltbush	<i>Eremophila glandulifera</i>	
<i>Disphyma crassifolium</i>	pigface	<i>Eremophila homoplastica</i>	
<i>Enchylaena tomentosa</i>	ruby saltbush	<i>Eremophila maculata</i>	emu bush, fuchsia bush
<i>Eremophila clarkei</i>	turpentine bush	<i>Eremophila margarethae</i>	sandbank poverty bush
<i>Eremophila compacta</i>		<i>Eremophila metallicorum</i>	

<i>Frankenia</i> spp.	frankenia	<i>Maireana triptera</i>	three-winged bluebush
<i>Gunnioopsis quadrifida</i>	sweet samphire	<i>Maireana villosa</i>	
<i>Halosarcia</i> spp.	samphire	<i>Olearia muelleri</i>	Goldfields daisy
<i>Helipterum adpressum</i>	appressed-leaf sunray	<i>Olearia pimeleoides</i>	burrobunga
<i>Indigofera georgei</i>	bovine indigo	<i>Olearia stuartii</i>	
<i>Lawrencia squamata</i>	sunglasses bush	<i>Ptilotus obovatus</i>	cotton bush
<i>Maireana amoena</i>		<i>Ptilotus roei</i>	
<i>Maireana atkinsiana</i>	bronze bluebush	<i>Ptilotus schwartzii</i>	horse mulla mulla
<i>Maireana georgei</i>	George's bluebush, golden bluebush	<i>Rhagodia drummondii</i>	Drummond's rhagodia
	ball-leaf bluebush	<i>Sclerolaena diacantha</i>	grey copper burr
<i>Maireana glomerifolia</i>		<i>Sida filiformis</i>	
<i>Maireana pentatropis</i>		<i>Solanum ferocissimum</i>	
<i>Maireana planifolia</i>	flat-leaved bluebush	<i>Solanum horridum</i>	
<i>Maireana platycarpa</i>	shy bluebush	<i>Solanum lasiophyllum</i>	flannel bush
<i>Maireana pyramidata</i>	sago bush	<i>Solanum orbiculatum</i>	wild tomato, round-leaved solanum
<i>Maireana thesioides</i>	lax bluebush		
<i>Maireana tomentosa</i>	felty bluebush	<i>Spartothamnella teucriffora</i>	mulga broombush
<i>Maireana trichoptera</i>	pink-seeded bluebush		

#### Grasses

<i>Amphipogon caricinus</i>	grey beard grass	<i>Eriachne mucronata</i>	desert wanderrie
<i>Cymbopogon ambiguus</i>	lemon-scented grass	<i>Monachather paradoxa</i>	broad-leaved wanderrie
<i>Eragrostis eriopoda</i>	woolly butt, wire wanderrie	<i>Stipa elegantissima</i>	feather speargrass
<i>Eriachne flaccida</i>	claypan grass	<i>Thyridolepis mitchelliana</i>	window mulga grass
<i>Eriachne helmsii</i>	buck wanderrie	<i>Thyridolepis multiculmis</i>	soft wanderrie, mulga grass
		<i>Triodia basedowii</i>	hard spinifex



## Appendix 1 (iii). Annual species collected during the survey or known to occur in the survey area

		Herbs	
<i>Actinobole uliginosum</i>	flannel cudweed	<i>Gnephosis intonsa</i>	shaggy gnephosis
<i>Actinotus</i> sp.		<i>Gnephosis pygmaea</i>	pygmy gnephosis
<i>Alternanthera nodiflora</i>	common joyweed	<i>Gnephosis skirrophora</i>	woolly gnephosis
* <i>Anagallis arvensis</i> var. <i>caerulea</i>	blue pimpernel	<i>Gnephosis trifida</i>	
<i>Angianthus tomentosus</i>	camel-grass	<i>Gonocarpus nodulosus</i>	
* <i>Argemone ochroleuca</i>	Mexican poppy	<i>Goodenia nimuloides</i>	
<i>Arthropodium</i> sp.	chocolate lily	<i>Goodenia occidentalis</i>	
<i>Atriplex codonocarpa</i>	flat-topped saltbush	<i>Gunniopsis intermedia</i>	yellow saif flower
<i>Atriplex semilunaris</i>	annual saltbush	<i>Gunniopsis rodwayi</i>	
<i>Bellida graminea</i>	rosy bellida	<i>Gunniopsis septifraga</i>	
<i>Blennospora drummondii</i>		<i>Haloragis gossei</i>	mintweed
<i>Brachycome cheilocarpa</i>		<i>Haloragis odontocarpa</i>	mulga cabbage
<i>Brachycome ciliaris</i>	variable daisy	<i>Haloragis trigonocarpa</i>	
<i>Brachycome ciliocarpa</i>	ciliated-fruited daisy	<i>Helichrysum davenportii</i>	sticky everlasting
<i>Brachycome linearis</i>		<i>Heliotropium curassavicum</i>	smooth heliotrope
* <i>Brassica tournefortii</i>	mediterranean turnip	<i>Helipterum battii</i>	
<i>Brunonia australis</i>	wild cornflower	<i>Helipterum chlorocephalum</i>	
<i>Calandrinia calyptata</i>	pink purslane	<i>Helipterum craspedioides</i>	yellow billy buttons
<i>Calandrinia granulifera</i>	pygmy purslane	<i>Helipterum fitzgibbonii</i>	glandular sunray
<i>Calandrinia polyandra</i>	parakeelya	<i>Helipterum floribundum</i>	flowery sunray
<i>Calocephalus multiflorus</i>	yellow top	<i>Helipterum laeve</i>	smooth sunray
<i>Calotis cuneifolia</i>		<i>Helipterum lindleyi</i>	
<i>Calotis erinacea</i>	tangled burr-daisy	<i>Helipterum manglesii</i>	pink sunray
* <i>Carrichtera annua</i>	Ward's weed	<i>Helipterum maryonii</i>	
* <i>Carthamus lanatus</i>	saffron thistle	<i>Helipterum propinquum</i>	
* <i>Centaurea melitensis</i>	Maltese cockspur	<i>Helipterum rubellum</i>	reddish sunray
* <i>Centaureum spicata</i>	spike century	<i>Helipterum splendidum</i>	showy sunray
<i>Centrolepis humillima</i>	dwarf centrolepis	<i>Hyalosperma denissum</i>	
<i>Centrolepis polygyna</i> ssp. <i>eremica</i>	wiry centrolepis	<i>Hyalosperma glutinosum</i> ssp. <i>venustum</i>	
<i>Cephalopterum drummondii</i>	Drummond's everlasting	<i>Hyalosperma stoveae</i>	
<i>Ceratogyne obionoides</i>	wingwort	<i>Hyalosperma zacchaeus</i>	
* <i>Chenopodium murale</i>	green fat hen	<i>Hydrocotyle pilifera</i> var. <i>glabrata</i>	
<i>Chenopodium saxatile</i>		<i>Isoetes</i> sp.	
<i>Chondropyxis halophila</i>		<i>Isoetopsis graminifolia</i>	cushion grass
<i>Chrysocephalum apiculatum</i>		<i>Isotoma petraea</i>	rock poison
<i>Chthonocephalus pseudevax</i>	wooly groundheads	<i>Josephinia eugeniae</i>	
* <i>Citrullus lanatus</i>	bastard, bitter melon	<i>Kippistia suaedifolia</i>	
<i>Crassula colorata</i>	dense stonecrop	<i>Lepidium oxytrichum</i>	
* <i>Cuscuta australis</i>	Australian dodder	<i>Levenhookia leptantha</i>	trumpet stylewort
* <i>Datura stramonium</i>	thornapple	* <i>Limonium lobatum</i>	
<i>Daucus glochidiatus</i>	Australian carrot	<i>Lobelia winifridae</i>	one-flowered lobelia
<i>Dissocarpus paradoxus</i>	gee, cannon balls	<i>Lotus australis</i>	
<i>Dysphania kalpari</i>	green crumbweed	<i>Maireana carnosa</i>	cottony bluebush
<i>Dysphania platycarpa</i>		<i>Millotia myosotidifolia</i>	
<i>Dysphania rhadinostachya</i>		<i>Mitrasacme paradoxa</i>	wiry mitrewort
* <i>Emex australis</i>	double gee	<i>Myriocephalus guerinae</i>	
<i>Eriochiton sclerolaenoides</i>	star or woolly bindii	<i>Nicotiana aff simulans</i>	
* <i>Erodium cicutarium</i>	common crows foot	<i>Nicotiana rosulata</i> ssp. <i>rosulata</i>	
<i>Erodium cygnorum</i>	crows foot, wild geranium	<i>Ophioglossum</i> sp.	
<i>Erymophyllum ramosum</i> ssp. <i>ramosum</i>		* <i>Osteospermum clandestinum</i>	stinking Roger
<i>Erymophyllum tenellum</i>		<i>Parietaria debilis</i>	pellitory
<i>Euphorbia australis</i>		<i>Peplidium muelleri</i>	
<i>Euphorbia boophthona</i>	Gascoyne spurge	<i>Pimelea trichostachya</i>	spiked pimelea
<i>Euphorbia drummondii</i>	caustic weed	<i>Plantago debilis</i>	
<i>Euphorbia tannensis</i> ssp. <i>eremophila</i>	caustic bush	<i>Podolepis canescens</i>	
<i>Gilberta tenuifolia</i>		<i>Podolepis lessonii</i>	
<i>Gnephosis burkittii</i>		<i>Podotrocha gnaphalioides</i>	golden long-heads

Herbs-cont.

<i>Podtheca wilsonii</i>		<i>Stackhousia</i> sp.	
<i>Pogonolepis stricta</i>		<i>Stenopetalum lineare</i>	narrow thread petal
<i>Poranthera microphylla</i>		<i>Swainsona</i> aff. <i>rostellata</i>	
<i>Portulaca oleracea</i>	pig weed	<i>Swainsona canescens</i> var. <i>canescens</i>	grey swainsona pea
<i>Prasophyllum macrostachyum</i> var. <i>ringens</i>	laughing leek orchid	<i>Swainsona formosa</i>	Sturt's desert pea
<i>Ptilotus carlsonii</i>		<i>Swainsona kingii</i> ssp. <i>ornata</i>	
<i>Ptilotus exaltatus</i>	tall mulla mulla	<i>Swainsona microphylla</i>	small-leaf swainsona
<i>Ptilotus guadichaudii</i>		<i>Swainsonia oliveri</i>	
<i>Ptilotus helipteroides</i>	hairy mulla mulla	<i>Swainsona phacoides</i> ssp. <i>phacoides</i>	dwarf swainsona
<i>Quinqueremulus linearis</i>		<i>Symphyobasis macropectra</i>	
* <i>Rumex vesicarius</i>	native hops	<i>Synaptantha tillaecea</i>	
<i>Salsola kali</i>	roly poly	<i>Tetragonia eremaea</i>	
<i>Schoenia cassiniana</i>		<i>Thelymitra</i> aff. <i>nuda</i>	
<i>Sclerolaena fimbriolata</i>		<i>Trachymene cyanopetala</i>	
<i>Sclerolaena obliquicuspis</i>		<i>Trachymene ornata</i>	spongefruit
<i>Scyphocoronis incurva</i>		<i>Tribulus terrestris</i>	caltrop
<i>Senecio glossanthus</i>	slender groundsel	<i>Triglochin calcitrapa</i>	spurred arrowgrass
<i>Senecio gregorii</i>	fleshy groundsel	<i>Triptilodiscus pygmaeus</i>	
<i>Senecio lautus</i>	variable groundsel	<i>Velleia glabrata</i>	smooth velleia
<i>Senecio magnificus</i>	showy groundsel	<i>Velleia hispida</i>	hispid velleia
* <i>Sisymbrium irio</i>	London rocket	<i>Velleia rosea</i>	pink velleia
* <i>Solanum hystrix</i>	Afghan thistle	<i>Vittadinia humerata</i>	
* <i>Solanum nigrum</i>	black nightshade	<i>Wahlenbergia gracilentia</i>	annual bluebell
* <i>Sonchus oleraceus</i>	sow thistle	<i>Waitzia acuminata</i>	orange Immortelle
<i>Stackhousia</i> aff. <i>pubescens</i>	downy stackhousia	* <i>Xanthium spinosum</i>	Bathurst burr
<i>Stackhousia micrantha</i>		<i>Zygophyllum apiculatum</i>	pointed twin leaf
<i>Stackhousia monogyna</i>		<i>Zygophyllum compressum</i>	
<i>Stackhousia muricata</i>		<i>Zygophyllum glaucum</i>	pale twin leaf
		<i>Zygophyllum ovatum</i>	dwarf twin leaf

Grasses

<i>Agrostis avenacea</i>	blown grass	<i>Eragrostis lacunaria</i>	
<i>Aristida anthoxanthoides</i>	yellow threeawn	<i>Eragrostis pergracilis</i>	
<i>Aristida contorta</i>	wind grass	<i>Eriachne dominii</i>	
<i>Aristida exserta</i>		<i>Eriachne ovata</i>	
<i>Aristida holathera</i> ssp. <i>holathera</i>	erect kerosene grass	<i>Eriachne pulchella</i>	pretty wanderrie
<i>Aristida nitidula</i>	flat-awned threeawn	* <i>Hordeum leporinum</i>	barley grass
<i>Aristida obscura</i>	bush threeawn	<i>Iseilema vaginiflorum</i>	red Flinders grass
* <i>Briza minor</i>	lesser quaking grass	<i>Paspalidium basicladum</i>	
<i>Bromus arenarius</i>	sand brome	<i>Paspalidium clementii</i>	
* <i>Bromus diandrus</i>	brome grass	<i>Paspalidium constrictum</i>	knotty-butt
* <i>Bromus madritensis</i>	Madrid brome	* <i>Pentaschistis airoides</i>	false hairgrass
<i>Bulbostylis barbata</i>		* <i>Polypogon monspeliensis</i>	beard grass
<i>Dactyloctenium radulans</i>	button grass	<i>Sporobolus actinocladius</i>	katoora, ray grass
<i>Danthonia caespitosa</i>	common wallaby grass, white-top	<i>Stipa scabra</i>	rough spear grass
<i>Diplachne muelleri</i>		<i>Stipa trichophylla</i>	
<i>Enneapogon caeruleus</i>	limestone grass	* <i>Trisetaria cristata</i>	annual cat's tail
<i>Enneapogon polyphyllus</i>	leafy nineawn	* <i>Vulpia myuros</i>	rat's tail fescue
<i>Eragrostis dielsii</i>	mallee love grass		

\* Denotes naturalised species, not native to Western Australia.

## Appendix 1 (iv). Lichens and mosses collected in the survey area

### Lichens

	Substrate	Collecting No.		Substrate	Collecting No.
<i>Acarospora ferdinandii</i>	Soil	7050	<i>Lecidea globifera</i>	Soil	7052
<i>Acarospora schleicheri</i>	Rock	6754	<i>Lecidea psammophila</i>	Soil	6748
<i>Acarospora smaragdula</i>	Rock	7229	<i>Lecidea</i> sp.	Soil	6763
<i>Aspicilia calcarea</i>	Soil	6990	<i>Lecidea</i> sp.	Rock	6914
<i>Buellia subalbula</i>	Rock	7494	<i>Lecidea</i> sp.	Bark	7066
<i>Buellia</i> sp.	Rock	7312	Lichen sp.	Soil	7402c
<i>Caloplaca ferruginea</i>	Bark	7069	<i>Neofuscellia incantata</i>	Rock	7103
<i>Caloplaca</i> sp.	Wood	6747	<i>Neofuscellia loxodella</i>	Bark	7703
<i>Candelariella spraguei</i>	Rock	7556	<i>Neofuscellia verrucella</i>	Soil	7058
<i>Catapyrenium lachneum</i>	Soil	6862	<i>Parmelia subalbicans</i>	Bark	7233a
<i>Chrysothrix candelaris</i>	Bark	7437	<i>Parmelia</i> sp.	Bark	7196
<i>Cladonia</i> sp.	Soil	7054	<i>Pertusaria</i> sp.	Bark	7067
<i>Collema coccophorum</i>	Soil	6860a	<i>Peltula australiensis</i>	Soil	7507
<i>Crustose</i> sp.	Soil	6957	<i>Pseudoparmelia ferax</i>	Bark	7204
<i>Dermatocarpon lachneum</i>	Soil	6994a	<i>Physcia alpolia</i>	Bark	7283
<i>Diploschistes ocellatus</i>	Soil	7056	<i>Physcia alba</i>	Bark	6739
<i>Diploschistes scruposus</i>	Soil	7206	<i>Physcia</i> sp.	Bark	7072
<i>Diploschistes</i> sp.	Soil	6929	<i>Physciopsis syncolla</i>	Bark	6746
<i>Endocarpon pusillum</i>	Soil	6872	<i>Psora decipiens</i>	Soil	7511
<i>Endocarpon victorianum</i>	Soil	6993	<i>Psora</i> sp.	Soil	7508
<i>Endocarpon</i> sp.	Soil	6872	<i>Sarcogyne regularis</i>	Rock	7281
<i>Eremastrella crystallifera</i>	Soil	7051	<i>Siphula coriacea</i>	Soil	7128
<i>Fulgensia bracteata</i>	Soil	6996	<i>Xanthoria ligulata</i>	Bark	7711b
<i>Heterodea beaugleholei</i>	Soil	7118	<i>Xanthoparmelia reptans</i>	Soil	6932
<i>Heterodea muelleri</i>	Soil	6840	<i>Xanthoparmelia versicolor</i>	Soil	6930
<i>Lecanora sphaerospora</i>	Soil	7402b	<i>Xanthoparmelia willisii</i>	Soil	6884
<i>Lecanora</i> sp.	Bark	7070	<i>Xanthoparmelia</i> sp.	Rock	7231
			<i>Xanthoparmelia</i> sp.	Bark	7282

### Mosses

	Collecting No.
<i>Archidium rothii</i>	7052
<i>Barbula hornschiuana</i>	7402a
<i>Ceratodon purpurens</i>	7052
<i>Fissidens vittatus</i>	7052
<i>Grimmia laerigata</i>	7052